

10/801,365

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S48	0	((interior internal hollow inside) near3 cavity) with (aluminide aluminiding (aluminum near3 diffusion))) same ((slurry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:58
S47	0	((interior internal hollow inside) near3 cavity) with (aluminide aluminiding (aluminum near3 diffusion))) same ((aluminide aluminiding) near3 tape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:58
S46	0	((interior internal hollow inside) with (aluminide aluminiding (aluminum near3 diffusion))) same ((aluminide aluminiding) near3 tape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 14:58
S45	26	S43 and ((interior internal hollow inside) with (aluminide aluminiding (aluminum near3 diffusion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:57
S44	4641	((427/250) or (427/252) or (427/253)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:45
S43	2528	((427/230) or (427/237) or (427/239)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:45
S5	4610	((427/250) or (427/252) or (427/253)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:45
S4	2505	((427/230) or (427/237) or (427/239)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:45

S42	5331	((427/372.2) or (427/375) or (427/376.6) or (427/376.7) or (427/376.8) or (427/383.1) or (427/383.7)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:39
S41	70	((turbine near3 (part component)) airfoil) with ((cooling near3 (holes opening passage))) with (size diameter circumference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:39
S40	270	((turbine near3 (part component)) airfoil) with (hollow interior internal insdie (cooling near3 (holes opening passage))) with (size diameter circumference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:38
S39	2130	((turbine near3 (part component)) airfoil) same (hollow interior internal insdie (cooling near3 (holes opening passage))) same (size diameter circumference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:11
S38	10	S37 and tape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:00
S37	75	S36 and ((inside interior internal cavity hollow) with (aluminide aluminiding))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 15:36
S36	14499	((427/230) or (427/237) or (427/239) or (427/250) or (427/252) or (427/253) or (427/372.2) or (427/375) or (427/376.6) or (427/376.7) or (427/376.8) or (427/383.1) or (427/383.7) or (416/231R) or (416/232) or (416/241R)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 15:34
S6	5213	((427/372.2) or (427/375) or (427/376.6) or (427/376.7) or (427/376.8) or (427/383.1) or (427/383.7)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 15:30
S35	1	("5334417").PN.	USPAT	OR	OFF	2005/07/25 15:00
S34	1	("5366765").PN.	USPAT	OR	OFF	2005/07/25 15:00

S33	43	((vapor near3 phase near3 pack) same aluminiding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 14:52
S32	138	(vapor near3 phase near3 pack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 14:48
S30	2	((("6881439") or ("6883927")).PN.	USPAT	OR	OFF	2005/07/25 14:48
S31	1	S30 and vapor	USPAT	OR	ON	2005/07/25 14:06
S1	3	((("6863927") or ("6652914") or ("6203847")).PN.	USPAT	OR	OFF	2005/07/25 14:05

WPF 7/28/2005